ARDETAS
KONSTRUKCIJŲ JUNGTYS

CE

DECLARATION OF PERFORMANCE No. ARD-4-26

1. *Unique identification code of the product-type:*

   Angle brackets: types MK and MKN.
   Angle brackets with a rib: types MKS and MKNS.
   (See ETA-15/0446 of 2026-08-18)

2. *Intended use/es:*

   Timber-to-timber joints in load-bearing timber structures and their supports in buildings and civil engineering works

3. *Manufacturer:*

   UAB „Ardetas“, Žirmūnų g. 46-40, LT-09227 Vilnius, Lithuania

   Place of production: Arnionių g. 60, LT-18170 Pabradė, Švenčionių district, Lithuania

   www.ardetas.lt

4. *Authorised representative:*

   —

5. *System/s of assessment and verification of constancy of performance (AVCP):*

   2+

6. *European Assessment Document, European Technical Assessment, Technical Assessment Body and Notified body:*

	Name	No.	Document	EAD / EN
Technical Assessment Body	*Statybos produkcijos sertifikavimo centras (SPSC)*	*1397*	*ETA-15/0446 2026-08-18*	*EAD 130186-00-0603*
Notified body (factory production control)	*Statybos produkcijos sertifikavimo centras (SPSC)*	*1397*	*Certificate of conformity of the factory production control 1397-CPR-0814*	—

7. Declared performance/s

Essential characteristics	Performance	Harmonised technical specification
Joint strength (load-carrying capacity)	See ETA-15/0446 of 2026-08-18, Annex 3	EAD 130186-00-0603
Joint stiffness	NPD	EAD 130186-00-0603
Joint ductility	NPD	EAD 130186-00-0603
Resistance to seismic actions	NPD	EAD 130186-00-0603
Resistance to corrosion and deterioration	Hot-dip galvanised steel DX51D+Z275 according to EN 10346:2015 Service classes 1 and 2 according to EN 1995-1-1	EAD 130186-00-0603
Reaction to fire	A1 (ETA-15/0446 of 2026-08-18, clause 3.2)	EAD 130186-00-0603
Resistance to fire	NPD	EAD 130186-00-0603
Release of dangerous substances	NPD (ETA-15/0446 of 2026-08-18, clause 3.3)	EAD 130186-00-0603
Joint stiffness	NPD	EAD 130186-00-0603
Joint ductility	NPD	EAD 130186-00-0603
Resistance to seismic actions	NPD	EAD 130186-00-0603
Resistance to corrosion and deterioration	Hot-dip galvanised steel DX51D+Z275 according to EN 10346:2015 Service classes 1 and 2 according to EN 1995-1-1	EAD 130186-00-0603
Reaction to fire	A1 (ETA-15/0446 of 2026-08-18, clause	EAD 130186-00-

	3.2)	0603
Resistance to fire	NPD	EAD 130186-00-0603
Release of dangerous substances	NPD (ETA-15/0446 of 2026-08-18, clause 3.3)	EAD 130186-00-0603

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

UAB ARDETAS

Director Arūnas Derenčius

Pabradė, 2026-10-26 .....